



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006618100

Filing Deadline: February 18, 2015

FRN: 0022355762

Filing Date: 01/13/2015 04:56 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Inland Cellular LLC

Brand Names: Inland Cellular

PO Box: 688

Street Address:

City: Roslyn

State: WA

Zip Code: 98941

Contact Name: Greg Maras

Contact Phone: (509) 649-2500

Contact Fax:

Contact Email: gmaras@inlandnet.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: William J. Sill

PO Box:

Street Address: 2300 N Street, N.W., Suite 700

City: Washington

State: DC

Contact Name: William J. Sill
Contact Phone: (202) 783-4141
Contact Fax:
Contact Email: wsill@wbklaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.inlandcellular.com/main>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: In 2014, Inland Cellular offered only HAC-compliant handsets. Inland Cellular continued to train their retail employees to identify and provide information regarding HAC compliant handsets and potentially useful accessories to Inland Cellular's current and prospective subscribers. Inland Cellular believes that one of the most efficient ways to disseminate information to its customers is at the point of sale. Inland Cellular will continue to educate its retail staff on HAC issues and the developing technology offered through the equipment manufacturers, so that their retail staff will remain a valuable information resource for Inland's current and prospective subscribers.

Inland Cellular will continue to build on their efforts to educate both their potential subscribers and their current subscribers on the HAC compliant handsets being offered:

(1) Inland Cellular continues to supply its retail staff with informational materials concerning the compliant handsets and accessories. Inland Cellular also continues to provide informational literature at its retail stores concerning compliant handsets and accessories as it becomes available and the number of HAC compliant phones increases.

(2) Inland Cellular remains committed to regularly updating its website as new HAC handset information becomes available, calling attention to the HAC compliant handsets, as well as accessories that may be helpful to persons with hearing disabilities; and

(3) Signs have been installed at each point of sale station along with updated information about HAC compliant handsets and other related accessories.

Methodology for Functionality Levels

Inland Cellular's hearing aid compatibility offerings encompass the entire range of handset functionalities. For illustrative purposes, Inland Cellular has designated its various categories as "High", "Mid" and "Basic." While some individual models may differ slightly, the descriptions below provide a general illustration of the types of features and characteristics typical of the models within each category.

High: Smart phones, data capable, e-mail capable

Mid: Media capable, text messaging, touch screen

Basic: Basic voice and text messaging capabilities

Report Remarks

Inland Cellular LLC is the successor licensee to the General Partner of Eastern Sub-RSA Partnership and the Washington RSA No. 8 Limited Partnership.

You have reported the following handset model summary information.

Total number of handsets offered: 32

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets	Total by Air Interface
	Number	Percent	Number	Percent		
CDMA	29	91%	3	9%		32
Wi-Fi	19	90%	2	10%		21

Handset 1: Alcatel 960C

Handset Maker

Alcatel

Handset Model Name FCC ID

960C RAD278

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 02/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 2: Alcatel 988

Handset Maker

Alcatel

Handset Model Name

988

FCC ID

RAD284

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 3: Apple 5c

Handset Maker

Apple

Handset Model Name

5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks**Handset 4: Apple 5s****Handset Maker**

Apple

Handset Model Name**FCC ID**

5s

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 5: Apple 6

Handset Maker

Apple

Handset Model Name

6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 6: Apple 6 Plus

Handset Maker

Apple

Handset Model Name

6 Plus

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 7: HTC 0P4E100 Desire 601**Handset Maker**

HTC

Handset Model Name**FCC ID**

0P4E100 Desire 601

NM80P4E100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/13 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 8: HTC 6290

Handset Maker

HTC

Handset Model Name

6290

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 02/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 9: HTC M7

Handset Maker

HTC

Handset Model Name

M7

FCC ID

NM8PN07200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 10: LG 160**Handset Maker**

LG

Handset Model Name

160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 11: LG 272

Handset Maker

LG

Handset Model Name

272

FCC ID

ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 12: LG 510

Handset Maker

LG

Handset Model Name

510

FCC ID

BEJUN510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 08/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 13: LG 695**Handset Maker**

LG

Handset Model Name**FCC ID**

695

ZNFAS695

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 14: LG 730

Handset Maker

LG

Handset Model Name

730

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 15: LG AN170

Handset Maker

LG

Handset Model Name

AN170

FCC ID

ZNFVN170

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 16: Motorola XT1031**Handset Maker**

Motorola

Handset Model Name**FCC ID**

XT1031

IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 17: Motorola XT1050

Handset Maker

Motorola

Handset Model Name

XT1050

FCC ID

IHDT56PB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/13 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 18: Motorola XT556

Handset Maker

Motorola

Handset Model Name

XT556

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/11 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 19: Motorola XT861**Handset Maker**

Motorola

Handset Model Name

XT861

FCC ID

IHDT56MF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 20: Motorola XT908

Handset Maker

Motorola

Handset Model Name

XT908

FCC ID

IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 01/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 21: Research In Motion Limited Blackberry 9350

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry 9350

FCC ID

L6ARDZ20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/11 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 22: Research In Motion Limited Blackberry 9930**Handset Maker**

Research In Motion Limited

Handset Model Name**FCC ID**

Blackberry 9930

L6ARDU70CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/11 to 08/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 23: Samsung G900

Handset Maker

Samsung

Handset Model Name

G900

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 24: Samsung i535/R530

Handset Maker

Samsung

Handset Model Name

i535/R530

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/13 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 25: Samsung i545**Handset Maker**

Samsung

Handset Model Name

i545

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 05/14

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 26: Samsung R261

Handset Maker

Samsung

Handset Model Name

R261

FCC ID

A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 03/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 27: Samsung R270

Handset Maker

Samsung

Handset Model Name

R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 28: Samsung R390**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R390

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 08/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 29: Samsung R480

Handset Maker

Samsung

Handset Model Name

R480

FCC ID

A3LSCHR480C

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 30: Samsung R640

Handset Maker

Samsung

Handset Model Name

R640

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 01/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks**Handset 31: SONIM XP3400****Handset Maker**

SONIM

Handset Model Name**FCC ID**

XP3400

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 02/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 32: SONIM XP4400

Handset Maker

SONIM

Handset Model Name

XP4400

FCC ID

WYPC21F007AC

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Certification

This Report has been certified by:

Gregory A Maras Secretary

01/13/2015 04:56 PM